





CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>HARVEST</b>	Address <b>74 BRATTLE</b>	Phone <b>8682255</b>	Owner or Operator <b>GRILL 23</b>
District	Type of Inspection <b>ROUTINE</b>	Date <b>9-3-08</b>	


VIOLATION NUMBER	REMARKS
	MET BY SCOTT RYAN
	VIOLATIONS CITED:
*12	DO NOT ALLOW OPEN DRINKS BY FOOD PREP.
35	DO NOT LEAVE DISHROOM DOOR OPEN - PROVIDE SCREEN DOOR
24	DO NOT STORE "CLEAN" KNIVES ON LINE BETWEEN NOT SANITIZED EQUIPMENT
*31	DO NOT USE HANDWASH SINK FOR FOOD PREP - USE EXCLUSIVELY FOR HANDWASHING
*12	DO NOT ALLOW FOOD HANDLERS TO WEAR JEWELRY
*8	DO NOT STORE RAW CHICKEN ABOVE MEAT
4	REPAIR PREP FRIDGE ACROSS FROM STOVE. DOORS NOT CLOSING PROPERLY. UNIT IS TOO WARM (57°) UNDERNEATH. DO NOT USE BOTTOM OF UNIT UNTIL REPAIRED — — — AND A 24 HOUR LOG OF TEMP ENSURES PRODUCTS WILL STAY BELOW 41°F.
17	PROVIDE REFRIGERATOR THERMOMETERS ON FRONT AND MAINTAIN TEMP LOG FOR BOTH FRONT UNITS. (NOTE: THREE TIMES DAILY AND BOTH AMBIENT AND PRODUCT TEMP.
	REINSPECTION 9-10-08
	Buddy Parker SF
	RECUO BY



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>HARVEST</b>	Address <b>44 BRATTLE</b>	Phone <b>8682251</b>	Owner or Operator <b>GRILL 23</b>
District	Type of Inspection <b>REINSPECTION</b>	Date <b>9-10-08</b>	



VIOLATION NUMBER	REMARKS
	met w/ SCOTT RYAN
	5 of 8 violations cited 9/3
	PENDING
4	REPAIR PREP fridge, HCBORS from stove (currently bottom is NOT IN USE, top inserts on ice), DO NOT USE UNTIL 24 HOURS of proper temp.
17	PROVIDE REFRIGERATOR THERMOMETERS FOR BOTH FRONT UNITS MAINTAIN temp logs for both units - NOTE: 3X DAILY BOTH AMBIENT AND product temps. - products should be below 41°F.
6/12	DO NOT ALLOW food handlers to wear watches
	REINSPECTION 9-24-08
	Buddy Packer SI CITY OF CAMBRIDGE
	REC'D BY 



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>HARVEST</b>	Address <b>44 BATTLE</b>	Phone <b>868 2255</b>	Owner or Operator <b>GAIL 23</b>
District	Type of Inspection <b>RE INSPECTION</b>	Date <b>9-24-08</b>	


VIOLATION NUMBER	REMARKS
	MET w/ MARY DUMONT (CHEF) & CHARLIE REED
	<del>SEE</del> PENDING
35	DISHROOM DOOR OPEN - REPEAT VIOLATION - PROVIDE SCREEN DOOR AS DISHROOM IS OPEN TO DUMPSTER AREA.
12	DO NOT ALLOW FOOD HANDLERS TO WEAR WATCHES
4	REPAIR OR REPLACE PREP FRIDGE ACROSS FROM SKIVE - DO NOT USE BOTTOM OF UNIT. NOTE TOP USED WITH ITEMS ON ICE.
17	PROVIDE TEMP LOG - TOP OF FISH STATION UNIT 3X DAILY (DO NOT USE BOTTOM. BOTH TOP & BOTTOM OF MEAT STATION UNIT - 3X DAILY - PRODUCT & AMBIENT.
	FOLLOW-UP PENDING
	REC'D BY 
	Benny Parker SE CITY OF CAMBRIDGE
	



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>HARVEST</b>	Address <b>44 BRATTLE</b>	Phone	Owner or Operator <b>GRILL 23</b>
District	Type of Inspection <b>REINSPECTION</b>	Date <b>10-2-08</b>	

VIOLATION NUMBER	REMARKS
	MET w/ MARY DUMONT.
	All violations cited 9/27 CORRECTED AT SCHEDULED FOR CORRECTIONS.
	pricing
35	PROVIDE SCREEN DOOR FOR DISHWASHER (ON ORDER)
	All OTHER SANITARY CONDITIONS ACCEPTABLE AT THIS TIME
	REC'D By 
	Buddy Parker SE CITY OF CAMBRIDGE



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>The Harvest</b>	Address <b>24 Brattle St</b>	Phone <b>508</b>	Owner or Operator <b>177</b>
District	Type of Inspection <b>Routine</b>	Date <b>3/11/09</b>	

VIOLATION NUMBER	REMARKS
	Met with Bryan Kirby - mgr
	Violations cited.
	(Bar)
29	Floor drain at ice bin needs cleaning
	Ice bin - clean or replace drain tube
	(Kitchen)
2	provide mop hanger - Store String down
29	Water heater / Storage - Do not Store items within 3 feet of gas water heater
17	"migoli" refrigerator at coffee station - provide thermometer
	(Cookline)
17	provide thermometers where needed - refrigerators
37	Outside small ice bin - Seal top edge at wall - crumbly texture
	Mary Cheevers R.S. City of Cambridge

*(Signature)*



Name of Establishment <b>The Harvard</b>	Address <b>44 Brattle St</b>	Phone <b></b>	Owner or Operator <b>777</b>
District <b></b>	Type of Inspection <b>Revolving</b>	Date <b>3/11/09</b>	

VIOATION NUMBER	REMARKS
	continued from page 1
(Cookline)	
29	Replace drain tubes (or clean if possible) ✓
17	Dish washer room - provide quat test strips at 3 bay sink ✓
39	Ceiling Vent needs cleaning (above dish washer area) ✓
	A
	Rerinspection 3/18 ✓
	Mary Cheevers RS X / BAK City of Cambridge



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES  
Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>The Harvest</b>	Address <b>44 Brattle</b>	Phone	Owner or Operator
District	Type of Inspection <b>Reinspection</b>	Date <b>3/18/09</b>	

VIOLATION  
NUMBER

REMARKS

Violations cited 3/11/09  
Corrected - Sanitary  
Conditions satisfactory

Mary Cheevers R.S. -  
City of Cambridge

*(Signature)*





City of Cambridge  
Inspectional Service  
831 Massachusetts Avenue  
Cambridge, Massachusetts 02139  
(617) 349-6100

No 2363



Sector

COMPLAINT RECORD

Scheduled Appointment

Building Elevator Housing Sanitation other

DATE 4-20-10 Rec'd by K. Fernandes Alizadeh INSP.

LOCATION Harvest 2000 LLC.

OWNER: (name) \_\_\_\_\_ (tel.) 868-2255

(address) 44 Brattle St.

COMPLAINT: ate dinner @ approximately 6<sup>30</sup> pm on 4/19

? duck / creme brulee & coffee. (left restaurant @ 8<sup>45</sup> pm became  
ill @ 10<sup>15</sup> pm) diarrhea

Breakfast - Pastry & iced coffee from Dunkin Donuts no lunch

CALLER: (name) [REDACTED] (tel.) [REDACTED]

(address) \_\_\_\_\_

REMARKS: See report - Could not contact  
caller about type of duck dish -

REPORT: two types served.

INSP. McCheerowski  
City of Cambridge



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>Harvest</b>	Address <b>44 Brattle St</b>	Phone <b>508 552 1111</b>	Owner or Operator <b>Harvest</b>
District <b>1</b>	Type of Inspection <b>complaint</b>	Date <b>4/20/10</b>	

VIOLATION  
NUMBER

REMARKS

Food borne illness complaint  
involving Duck / cremebrulee  
coffee

Two types of Duck Dishes  
Served:- Smoked breast with  
leg (Entrée) and Duck confit  
- duck leg cooked in duck fat  
(Fryer items)

Duck is from Cambridge Packing  
in cryovac packaging, stored  
in walk-in refrigerator (38°F)  
to thaw, packed in covered  
containers with dated labels.

Duck breast is from Dartmouth in New Jersey  
Duck entrée is cooked, then  
finished off in smoker. Breast  
is sliced and placed over leg

Duck confit - stored in duck  
fat in walk-in, then cooked  
in oven until meat falls off bone

Creme Brulee - made with pasteurized  
eggs, cooled, stored in walk-in  
finished off per order.

Walk-in - side dishes covered  
and dated. Sanitation (OK)

Food Handlers - no recent illness

- 8 Duck - 2 confit

Mary Cheevers R.S.  
City of Cambridge

x



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>HARVEST</b>	Address <b>44 BRATTLE</b>	Phone <b>8686901</b>	Owner or Operator <b>KEN HIMMEL</b>
District	Type of Inspection <b>ROUTINE</b>	Date <b>4-28-09</b>	

VIOLATION NUMBER	REMARKS
	met w/ SCOTT RYAN
	violations cited.
*12	DO NOT ALLOW BARE HAND CONTACT WHEN PREPARING FOOD.
*12	DO NOT allow food handlers to wear jewelry (watch)
21	MAINTAIN SANITIZER for wiping clothes
8	DO NOT STORE food too high AT INSECT ON LINE
38	PROVIDE protection for light bulb in walk-in at front
*12	DO NOT allow food handlers to have open drinks WHILE PREPARING food.
35	KEEP DOOR to DISHWASH CLOSED OR PROVIDE SCREEN
	REINSPECTION 5-5-08
	Brenda Parker SF CITY OF CAMBRIDGE
	REC'D BY [Signature]



CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>Harvest</b>	Address <b>44 Brattle</b>	Phone	Owner or Operator
District	Type of Inspection <b>Building</b>	Date <b>10/13/10</b>	

VIOLATION NUMBER	REMARKS
	violations cited
8	provide covered drink containers for food handlers on line/cook areas
37	cookline - seal corroded wood under counter (above prep table/sink)
36	Dish washer room - fill in floor grout where needed
	Reinspection 10/20
	Mary Chambers R.S. City of Cambridge
	X (M. Chambers)





CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES  
Massachusetts Avenue, Cambridge, Massachusetts 02139

Name of Establishment <b>Harvest</b>	Address <b>44 Brattle St</b>	Phone <b>617 552-1111</b>	Owner or Operator <b>Ivan Law</b>
District	Type of Inspection <b>Routine</b>	Date <b>10/21/09</b>	

VIOLATION NUMBER	REMARKS
	met with Ivan Lawing
	Violations cited
	(Bar)
36	Fill in missing tile grout around floor drain
42	Utility / mop sink - Clean clutter inside
	(Dishwasher room)
16	Do not cover Hubbell Hot Water booster at Dishwash - vents covered - will rust from moisture
39	clean portable fan on top of pot rack ceiling
36	Replace <del>floor</del> tiled above corner pot racks - hanging insulation
39	Ceiling exhaust vent needs cleaning
	Reinspection
	Oct. 28
	Mary Cheevers R.S.
	City of Camo
	Ivan Law

CITY OF CAMBRIDGE DEPARTMENT OF INSPECTIONAL SERVICES  
ENVIRONMENTAL HEALTH SERVICES

**Massachusuetts Avenue, Cambridge, Massachusetts 02139**

Name of Establishment <b>Harvest</b>	Address <b>44 Brattle</b>	Phone	Owner or Operator
District	Type of Inspection <b>Reinspection</b>	Date <b>10/28/09</b>	

[illegible]